



CATS & DOGS WITH DIARRHOEA OR CONSTIPATION







Why should we use DIAGEL?

1.What is DIAGEL?

DIAGEL is a concentrated feed supplement developed for the use of dogs and cats with digestive disorders such as diarrhoea or constipation. Diagel was designed by a team of veterinarians and nutritionists for both veterinarians and the needs of animal owners.

2.What Active Ingredients does DIAGEL contain?

- Dextrose
- Sodium Bicarbonate
- Sodium Citrate
- Potassium Chloride
- Magnesium Hydroxide
- Psyllium Husk extract
- Vitamin B1 (Thiamine)
- Vitamin B2 (Riboflavin)
- Vitamin B6 (Pyridoxine)
- Nicotinic Acid(Niacin)
- Pantothenic acid.

3. Which are the key features of DIAGEL?

DIAGEL may be fed during periods of diarhoea or constipation.

- Restores the balance of electrolytes and glucose
- Supports the restoration of water balance
- Forms gel (mucous) in intestines. This helps to soften constipated intestinal content
- Protects damaged intestinal mucosa
- Binds pathogens, toxins and removes them together with the faeces.

4.Is DIAGEL intended for a specific breed?

DIAGEL is suitable for all dog and cat breeds.

5.Will DIAGEL help with diarhoea?

Yes, the Electrolytes restore the glucose & electrolyte balance, reducing depression and helping recovery from diarrhoea. Water soluble fibers also form a gel (mucous) in the intestine increasing water and nutrient absorption.

6.Will DIAGEL help with constipation?

Yes, the Non digestible water soluble fibers form a gel (mucous) in the intestine and help to soften faeces relieving constipation.

7.What is the recommended feeding rate?

DIAGEL can be administrated with food 2-3 times daily or be dissolved in hand-warm water, 5g DIAGEL per 125ml of water. (*1 tea spoon contains approx. 5g)

Dogs: 1/2 sachet (5g) per 10kg of body weight Cats: 1/4 sachet (2.5g)

Important: Food and water that contains Diagel must be consumed immediately after mixing. Leftover mix should be thrown away.

Recommended period of use: 1 - 7 days.

8.What about the safety and stability of the product over time?

All of Mervue products, including DIAGEL have been evaluated to ensure their compatibility and stability over time.

Diagel Supports:

• Restores the balance of electrolytes and glucose

• Supports the restoration of water balance

 Protects damaged intestinal mucosa • Binds pathogens, toxins and removes them together with the faeces.

Feeding Instructions:

DIAGEL can either be given with food 2-3 times daily



or

can be dissolved in hand-warm water. 5g per 125ml of water.

Cat : 1/4 sachet (2.5g)



Active IngredientsDextroseVitamin B1 (Thiamine)Sodium BicarbonateVitamin B2 (Riboflavin)Sodium CitrateVitamin B6 (Pyridoxine)Potassium ChlorideNicotinic Acid(Niacin)Magnesium HydroxidePantothenic acidPsyllium Husk extractVitamin B6 (Pyridoxine)



Storage Conditions: Store in a dry place (between 5-28°C) in original container. Keep out of direct sun light. Do not freeze.

Precautions: Keep out of reach of children. For animal use only. Do not exceed recommended amount. Consult your veterinary surgeon before use.



Dog: 1/2 sachet (5g) per 10kg of body weight.





Mervue Laboratories Unit 9 Watergrasshill Business Park, Co. Cork, Ireland. Tel: +353 (0)21 439 1080 www.mervuelab.com



Manufactured for Mervue Laboratories under Company Licence No: cxIEC100343 • UFAS Compound Feed Cert. No: 399 The information in this brochure is correct at the time of going to print and accurately reflects the levels of ingredients in our formulations. However levels of ingredients may vary from the levels stated in the brochure at the time of manufacture due to changes in formulations for improvement purposes or to meet current legislation. The labels on the product will reflect the levels of ingredients in the product at the time of manufacture. This does not affect your statutory rights. 020617